

INDEX MAPS.

T. 26N, R. 8W. 2nd Mer.

	457		457		457		457		457		456
458	6	473	5	468	4	466	3	463	2	461	1 456
	472		472		468		465		463		460
458	7	472	8	468	9	465	10	463	11	460	12 456
	472		471		468		465		462		460
458	18	471	17	468	16	465	15	462	14	460	13 456
	471		471		467		465		462		460
458	19	470	20	467	21	464	22	462	23	459	24 456
	470		470		467		464		462		459
458	30	470	29	466	28	464	27	461	26	459	25 456
	469		469		466		464		461		459
457	31	469	32	466	33	463	34	461	35	458	36 456
	455		455		455		455		455		455

T. 27N, R. 8W. 2nd Mer.

	479		479		479		479		479		478
480	6	494	5	490	4	488	3	485	2	483	1 478
	494		494		490		488		485		483
480	7	493	8	490	9	487	10	485	11	482	12 478
	493		493		490		487		485		482
480	18	493	17	489	16	487	15	484	14	482	13 478
	493		492		489		487		484		482
480	19	492	20	489	21	487	22	484	23	482	24 478
	492		492		489		486		484		481
480	30	491	29	488	28	486	27	484	26	481	25 478
	491		491		488		486		483		481
479	31	491	32	488	33	486	34	483	35	480	36 478
	477		477		477		477		477		477

[P] The figures on the lines refer to the page.

Township N. 26 North, Range N. 8 West 2. Mer. Ind.

Township Lines.

Chs. & Co. South Boundary. Var. 6° 10' E.

West on the S. Boundary of Sec. 36

40.00 set gr. sec. port in mound

80.00 set port in mound corner of sec. 35 & 36

Prairie a little wet, good soil

West on the S. Boundary of Sec. 35

40.00 set gr. sec. port in mound

80.00 set port in mound cor. of sec. 34 & 35

Land as before

West on the S. Boundary of Sec. 34

40.00 set gr. sec. port in mound

80.00 set port in mound cor. of sec. 33 & 34

Land 1st rate dry Prairie

West on the S. Boundary of Sec. 33

31.91 set port on Indian Boundary.

May 16. 1831 David Willis, D. S.

Began at corner of sec. 33 & 34 on South Boundary of T. 26 N, R. 8 W. Mound West from corner said to be 31.91 could not be found Var. 6° 15' E.

40.00 set gr. sec. port & raise mound

80.00 set port cor. of sec. 32 & 33 and raise mound.

Land rolling & 1st rate dry Prairie

West on S. Boundary of Sec. 32

40.00 set gr. sec. port and raise mound

80.00 set port cor. of sec. 31 & 32 and raise mound.

Land & same

West on the S. Boundary of Sec. 31

40.00 set gr. sec. port & raise mound

80.24 Intersect W. Boundary 69 W. S. of temp. port—

set port at intersection cor. of T. 25 & 26 N, R. 8 W

T. 26 N., R. 8 W. T. Mer. Ind.^a
 Chas. L. K.

g W. and raise mound.

Land & same. March 29, 1834

East Boundary. Var. 6.30' E.

North on the E. Boundary of Sec. 36

40.00 set g. sec. post & raise mound

80.00 set post cor. of sec. 25 & 36 and raise mound.

Land rolling & 1st rate dry Prairie

North on the E. Boundary of Sec. 25

40.00 set g. sec. post & raise mound

80.00 set post cor. of sec. 24 & 25 and raise mound

Land same

North on the E. Boundary of Sec. 24

40.00 set g. sec. post & raise mound

80.00 set post cor. of sec. 13 & 24 and raise mound

Land & same

North on the E. Boundary of Sec. 13

40.00 set g. sec. post & raise mound

80.00 set post cor. of sec. 12 & 13 and raise mound

Land same

North on the E. Boundary of Sec. 12

40.00 set g. sec. post & raise mound

80.00 set post cor. of sec. 1 & 12 and raise mound

Land same

North on the E. Boundary of Sec. 1

40.00 set g. sec. post & raise mound

80.00 set temp. post for Township corner.

Land same. April 5, 1834

North Boundary. Var. 6.15' E.

West on the S. Boundary of Sec. 36, T27 N, R8 W

Comp.

T. 26 N., R. 8 W. 2^d Mer. Ind.^a

Ch. Pl.

40.00 set q. sec. post & raise mound

80.00 set post cor. of sec. 35 & 36 and raise mound
Land rolling & 1st rate, dry Prairie, some stony

West on the S. Boundary of Sec. 35, T27 N, R8 W

40.00 set q. sec. post & raise mound

80.00 set post cor. of sec. 34 & 35 and raise mound
Land gently rolling & 1st rate Prairie

West on the S. Boundary of Sec. 34, T27 N, R8 W

40.00 set q. sec. post & raise mound

80.00 set post cor. of sec. 33 & 34 and raise mound
Land same

West on the S. Boundary of Sec. 33, T27 N, R8 W

40.00 set q. sec. post & raise mound

80.00 set post cor. of sec. 32 & 33 and raise mound
Land same

West on the S. Boundary of Sec. 32, T27 N, R8 W

40.00 set q. sec. post & raise mound

53.00 a Brook 4 lbs. wide course NW

80.00 set post cor. of sec. 31 & 32 and raise mound
Land same

West on the S. Boundary of Sec. 31, T27 N, R8 W.

40.00 set q. sec. post & raise mound

79.40 Intersect W. Boundary 608 lbs. S. of post -
set post at intersection cor. of T. 26 & 27 N, R. 8 &
9 W. and raise mound - Land same
April 10. 1834.

West Boundary. Var. 6° 30' E.

North on the E. Boundary of Sec. 36, T26 N, R9 W

40.00 set q. sec. post & raise mound

80.00 set post cor. of sec. 25 & 36 and raise mound.

T. 26 N., R. 8 W. 2^d Mer. Ind.^a

Ch. Spr.

Land rolling & 1st rate dry Prairie

North on the E. Boundary of Sec. 25, T. 26 N., R. 9 W

30.00 Road E & W

40.00 set g. sec. post & raise mound

80.00 set post cor. of sec. 24 & 25 and raise mound
Land same.

North on the E. Boundary of Sec. 24, T. 26 N., R. 9 W

40.00 set g. sec. post & raise mound

80.00 set post cor. of sec. 13 & 24 and raise mound
Land same

North on the E. Boundary of Sec. 13, T. 26 N., R. 9 W

18.00 at Brook 8 hrs. wide corner SW

40.00 set g. sec. post & raise mound

80.00 set post cor. of sec. 12 & 13 and raise mound
Land same

North on the E. Boundary of Sec. 12, T. 26 N., R. 9 W

40.00 set g. sec. post & raise mound

80.00 set post cor. of sec. 1 & 12 and raise mound
Land same

North on the E. Boundary of Sec. 1, T. 26 N., R. 9 W

40.00 set g. sec. post & raise mound

80.00 set temp. post for Township corner

Land same April 4, 1834

Sylvester Sibley

Dep. Surveyor

Subdivision.

Commenced July 9 and finished July
10. 1834

North between Sec. 35 & 36

40.00 set g. sec. post & made mound of sod, pit

T. 26 N., R. 8 W. 2^d Mer. Ind.^a
 Chas. L. H.

East 4 Ws. put charcoal in

80.00 set post cor. of sec. 25, 26, 35 & 36 made mound
 of sod, pit South 4 Ws.

Land dry rolling Prairie, soil 1st rate

East on Random between Sec. 25 & 36

20.00 a Pond 200 Ws. wide

80.00 Intersect E. Boundary 10 Ws. N. of post -
 Land same

West Corrected between Sec. 25 & 36

40.00 set g. sec. post at aver. dirt. made mound
 of sod, pit East 4 Ws.

80.00 to sec. cor.

North between Sec. 25 & 26

40.00 set g. sec. post made mound of sod, pit
 East 4 Ws.

80.00 set post cor. of sec. 23, 24, 25 & 26 made
 mound of sod, pit South 4 Ws.
 Land same

East on Random between Sec. 24 & 25

80.06 Intersect E. Boundary 10 Ws. N. of post -
 Land same

West Corrected between Sec. 24 & 25

40.03 set g. sec. post at aver. dirt. made mound
 of sod, pit East 4 Ws.

80.06 to sec. cor.

North between Sec. 23 & 24

40.00 set g. sec. post made mound of sod
 pit East 4 Ws.

80.00 set post cor. of sec. 13, 14, 23 & 24

Land South half mile level wet, North

T. 20 N., R. 8 W. 2. Mer. Ind. a

Chs. 1st

half mile high rolling dry Prairie 1st rate

East on Random between Secs. 13 & 24

80.20 Intersect E. Boundary 8 Ws. N. of port -
Land high dry rolling Prairie, 1st rate

West Connected between Secs. 13 & 24

40.10 set g. sec. port at aver. dirt. made mound of
sod, pit East 4 Ws.

80.20 to sec. cor.

North between Secs. 13 & 14

40.00 set g. sec. port made mound of sod, pit East
4 Ws.

80.00 set port cor. of secs. 11, 12, 13 & 14 made mound
of sod, pit South 4 Ws. Land same

East on Random between Secs. 12 & 13

80.10 Intersect E. Boundary 12 Ws. S. of port -
Land same

West Connected between Secs. 12 & 13

40.05 set g. sec. port made mound of sod, pit
East 4 Ws.

80.10 to sec. cor.

North between Secs. 11 & 12

40.00 set g. sec. port made mound of sod, pit
East 4 Ws.

80.00 set port cor. of secs. 1, 2, 11 & 12 made mound
of sod, pit South 4 Ws.
Land rolling 1st rate, wet in places

East on Random between Secs. 12 & 12

80.16 Intersect E. Boundary 10 Ws. S. of port -
Land gently rolling, wet in places, soil

T. 26 N., R. 8 W. 2^d Mer. Ind.^a
Chr. Lks.

first rate

West Corrected between Secs. 1 & 2

40.08 set g. sec. post at aver. dnt. made mound of
lod, pit East 4 lks.

80.16 to sec. cor.

North between Secs. 1 & 2

40.00 set g. sec. post made mound of lod, pit
East 4 lks.

75.96 Intersect N. Boundary 6 lks. W. of post—
set post at intersection cor. of secs. 1 & 2 made
mound of lod, pit South 4 lks.

(Description of land &c omitted)

August 9. 1834

North between Secs. 34 & 35

40.00 set g. sec. post made mound of lod pit
charcoal in, pit East 4 lks.

80.00 set post cor. of secs. 26, 27, 34 & 35 made mound
of lod, pit 4 lks. South

Land gently rolling, wit in places, soil
first rate

East on Random between Secs. 26 & 35

80.20 Intersect N & S. line 20 lks. N. of post—
Land same

West Corrected between Secs. 26 & 35

40.10 set g. sec. post at aver. dnt. made mound
of lod, pit East 4 lks.

80.20 to sec. cor.

North between Secs. 26 & 27

40.00 set g. sec. post made mound of lod, pit
East 4 lks.

T. 26 N., R. 8 W. 2^d. Mer. Ind^t.Ch^r. E^r.

80.00 set post cor. of sec. 22, 23, 26 & 27 made mound of sod, pit South 4 lks. - Land same

East on Random between Sec. 23 & 26

80.00 Intersect N & S. line 12 lks. N. of post -
Land same

West Corrected between Sec. 23 & 26

40.00 set g. sec. post at aver. dnt. made mound of sod, pit East 4 lks.

80.00 to sec. cor.

North between Sec. 22 & 23

40.00 set g. sec. post made mound of sod, pit East 4 lks. put a stone in

80.00 set post cor. of sec. 14, 15, 22 & 23 made mound of sod put charcoal in, pit South 4 lks.
Land gently rolling 1st rate, wet in places.

East on Random between Sec. 14 & 23

80.06 Intersect N & S. line 15 lks. N. of post -
Land rolling 1st rate

West Corrected between Sec. 14 & 23

40.03 set g. sec. post at aver. dnt. made mound of sod put charcoal in, pit East 4 lks.

80.06 to sec. cor.

North between Sec. 14 & 15

40.00 set g. sec. post made mound of sod, pit East 4 lks.

80.00 set post cor. of sec. 10, 11, 14 & 15 made mound of sod, pit South 4 lks. Land same

East on Random between Sec. 11 & 14

80.16 Intersect N & S. line 20 lks. N. of post -

T. 26 N., R. 8 W. 2^d Mer. Ind^a.

Ch. Lk?

Land same

West Corrected between Sec. 11 & 14

40.08 set of sec. port at aver. dnt. made mound of sod, pit East 4 lks.

80.16 to sec. cor.

North between Sec. 10 & 11

40.00 set of sec. port made mound of sod, pit East 4 lks.

80.00 set port cor. of sec. 2, 3, 10 & 11 made mound of sod, pit South 4 lks.

Land gently rolling 1st rate, wet in places.

East on Random between Sec. 2 & 11

80.10 Intersect N. & S. line 10 lks. N. of port -
(Description of land omitted)

West Corrected between Sec. 2 & 11

40.05 set of sec. port at aver. dnt. made mound of sod, pit East 4 lks.

80.10 to sec. cor.

North between Sec. 2 & 3

40.00 set of sec. port made mound of sod, pit East 4 lks.

75.89 Intersect N. Boundary 53 lks. W. of port -
set port at intersection cor. of sec. 2 & 3 made mound of sod, pit South 4 lks.

(Description of land omitted)

August 11. 1834

North between Sec. 33 & 34

40.00 set of sec. port made mound of sod put a stone in, pit East 4 lks.

80.00 set port cor. of sec. 27, 28, 33 & 34 made mound

T. 26 N., R. 8 W. 2^d Mer. Ind.^aChs. 1st

of sod, pit South 4 lks.
Land rolling dry 1st rate.

East on Random between Secs. 27 & 34

79.90 Intersect N & S. line 25 lks. N. of port.
Land same

West Connected between Secs. 27 & 34

39.95 let g. sec. port at aver. dirt. made mound of
sod, pit East 4 lks.

79.90 to sec. cor.

North between Secs. 27 & 28

40.00 let g. sec. port made mound of sod, pit East
4 lks.

78.10 enter Marsh

80.00 let port cor. of secs. 21, 22, 27 & 28 in Marsh,
made mound of sod, pit West 50 lks.

Land South half mile rolling & dry -
North half mile gently rolling, some wet,
soil first rate.

East on Random between Secs. 22 & 27

8.00 leave Marsh

79.80 Intersect N & S. line 2 lks. N. of port -
Land same

West Connected between Secs. 22 & 27

39.93 let g. sec. port at aver. dirt. made mound
of sod, pit 4 lks. East

79.80 to sec. cor.

North between Secs. 21 & 22

13.15 leave Marsh

40.00 let g. sec. port made mound pit E. 3 lks.

80.00 let port cor. of secs. 15, 16, 21 & 22 made mound

T. 26 N., R. 8 W. 2. Mer. Ind.^a
 Chrs. Lks.

of sod, pit South 4 lks., put a stone in
 (Description of land omitted)

East on Random between Secs. 15 & 22

79.88 Intersect N. & S. line 10 lks. N. of port -
 Land level, wet in places

West Connected between Secs. 15 & 22

39.94 cut of sec. port at aver. dirt. made mound of
 sod, pit East 4 lks.

79.88 to sec. cn.

North between Secs. 15 & 16

40.00 cut of sec. port made mound of sod, pit
 East 3 lks.

80.00 cut port cn. of sec. 9, 10, 15 & 16 made mound
 of sod, pit South 3 lks.

Land gently rolling, wet in places, 1.st rate

East on Random between Secs. 10 & 15

79.92 Intersect N. & S. line 10 lks. N. of port -
 Land level first rate, wet in places

West Connected between Secs. 10 & 15

39.96 cut of sec. port at aver. dirt. made mound
 of sod, pit 5 lks. East of port

79.92 to sec. cn.

North between Secs. 9 & 10

40.00 cut of sec. port made mound of sod, pit
 East 3 lks.

80.00 cut port cn. of sec. 3, 4, 9 & 10 made mound
 of sod, pit South 4 lks.

Land rolling dry Prairie, soil 1.st rate

East on Random between Secs. 3 & 10

T. 26 N., R. 8 W. 2^d Mer. Ind.^aChs. 1st

79.98 Intersect N & S. line 4 lks. N. of port—
Land same

West Connected between Secs. 3 & 10

39.99 set g. sec. port at aver. dist. made mound of sod
pit East 3 lks.

79.98 to sec. cor.

North between Secs. 3 & 4

40.00 set g. sec. port made mound of sod, pit E. 3 lks.

75.20 Intersect N. Boundary 16 lks. W. of port—
set port at intersection cor. of secs. 3 & 4 made
mound, pit South 5 lks.

Land gently rolling 1st rate. Aug. 12, 1834

North between Secs. 32 & 33

3.00 at Brook 3 lks. wide course SW

40.00 set g. sec. port made mound of sod, pit East
4 lks., put charcoal in

80.00 set port cor. of secs. 28, 29, 32 & 33 made mound
of sod, pit South 5 lks.

Land rolling dry first rate.

East on Raudem between Secs. 28 & 33

80.20 Intersect N & S. line 14 lks. N. of port—

Land same

West Connected between Secs. 28 & 33

40.10 set g. sec. port at aver. dist. made mound of
sod, pit East 3 lks.

80.20 to sec. cor. From this corner a small grove
bears N 51° W.

North between Secs. 28 & 29

40.00 set g. sec. port made mound of sod, pit 3 lks.

East. From this port a small grove bears N 87° W.

T. 20 N., R. 8 W. 2^d Mer. Ind^a.Ch^a. Cr^a.

80.00 set post cor. of sec. 20, 21, 28 & 29 made mound in
South margin of a marsh, put a stone in.
Land South half mile rolling dry 1st rate,
North half mile level & wet in places

East on Random between Sec. 21 & 28

23.00 leave Marsh

23.75 Slaty Rock 13 lbs. in, diam., 7 1/2 feet high.

80.20 Intersect N & S. line 8 lbs. N. of post -
(Description of land omitted)

West Corrected between Sec. 21 & 28

40.10 set g. sec. post at aver. dist. made mound of
sod, pit 3 lbs. East put a stone in

80.20 to sec. cor.

North between Sec. 20 & 21

30.00 leave Marsh

33.00 enter same

40.00 set g. sec. post made mound of sod, pit 6.4 lbs.

80.00 set post cor. of sec. 10, 17, 20 & 21 made mound
in Marsh of sod, pit South 4 lbs.

Land principally all wet for some few chains
on both sides of the line

East on Random between Sec. 10 & 21

80.10 Intersect N & S. line at post -

Land West half mile wet, East half mile
rolling dry 1st rate

West Corrected between Sec. 10 & 21

40.05 set g. sec. post at aver. dist. made mound of
sod, pit 3 lbs. E.

55.00 enter Marsh

80.10 to sec. cor.

T. 20 N., R. 8 W. 2^d. Mer. Ind.^a

Chs. Sh.

North between Secs. 16 & 17

0.50 leave Marsh

40.00 set q. sec. post made mound of sod, pit East
4 lks.80.00 set post cor. of sec. 8, 9, 16 & 17 made mound of
sod, pit 4 lks. South of post.Land generally high & rolling, soil 1st rate

East in Random between Secs. 9 & 10

80.00 Intersect N. & S. line 8 lks. N. of post -
Land high dry rolling Prairie

West Corrected between Secs. 9 & 10

40.00 set q. sec. post at aver. drit. made mound of
sod, pit East 4 lks.

80.00 to sec. cor.

North between Secs. 8 & 9

40.00 set q. sec. post made mound of sod, pit East
4 lks.

43.20 at Brook 2 lks. wide corner NW

80.00 set ~~q. sec.~~ post cor. of sec. 4, 5, 8 & 9 made mound
of sod, pit South 4 lks.Land gently rolling wet in places, soil
first rate.

East in Random between Secs. 4 & 9

79.90 Intersect N. & S. line 4 lks. N. of post -
(Description of land omitted)

West Corrected between Secs. 4 & 9

39.95 set q. sec. post at aver. drit. made mound of
sod, pit East 5 lks.

79.90 to sec. cor.

North between Secs. 4 & 5

T. 26 N., R. 8 W. 2. Mer. Ind.^a
 Chas. W.

40.00 set g. sec. post made mound of sod, pit East
 4 Ws.

74.84 Intersect N. Boundary 30 Ws. W. of post -
 set post at intersection cor. of sec. 4 & 5 made
 mound of sod, pit South 5 Ws.

Land gently rolling T. state, Aug. 13. 1834

North between Sec. 31 & 32

40.00 set g. sec. post made mound of sod, pit East
 4 Ws.

70.06 enter pond

72.20 leave "

80.00 set post cor. of sec. 29, 30, 31 & 32 made mound
 of sod, pit South 4 Ws.

Land gently rolling T. state, wet in places

East on Random between Sec. 29 & 32

35.00 enter Marsh

62.20 leave "

79.92 Intersect N. & S. line 12 Ws. N. of post -
 (Description of land omitted)

West Corrected between Sec. 29 & 32.

39.96 set g. sec. post at aver. dnt. in Marsh,
 mud & water 2 feet deep.

79.92 to sec. cor.

West on Random between Sec. 30 & 31.

79.87 Intersect W. Boundary 20 Ws. S. of post -

Land rolling T. state, wet in places

East Corrected between Sec. 30 & 31

39.87 set g. sec. post made mound of sod, pit
 East 4 Ws.

79.87 to sec. cor.

T. 20 N., R. 8 W. 2. Mer. Ind.^a

Ch. Lk.

North between Sec. 29 & 30

40.00 set g. sec. port made mound of sod, pit East

42.18 ^{4 Ws.} Indian trail leads S W

44.10 enter Marsh

48.20 leave "

80.00 set port cor. of sec. 19, 20, 29 & 30 made mound of sod, pit South 4 Ws.

Land very rolling, wet in places, part 2^d rate

East on Random between Sec. 20 & 29

78.00 enter Marsh

79.94 Intersect N. & S. line 14 Ws. N. of port -

Land rolling, soil same as on North line

West Corrected between Sec. 20 & 29

39.97 set g. sec. port at aver. dist. made mound of sod, pit East 4 Ws.

79.94 to sec. cor.

West on Random between Sec. 19 & 30

79.78 Intersect W. Boundary 10 Ws. S. of port -

Land gently rolling, soil 1st rate

East Corrected between Sec. 19 & 30

39.78 set g. sec. port made mound of sod, pit East 4 Ws.

79.78 to sec. cor.

North between Sec. 19 & 20

40.00 set g. sec. port made mound of sod, pit East 4 Ws.

80.00 set port cor. of sec. 17, 18, 19 & 20 made mound of sod, pit South 4 Ws. put a stone in Land same

T. 26 N., R. 8 W. 2.^d Mer. Ind.^a

Chas. Ek.

East on Random between Secs. 17 & 20

45.00 enter Marsh

79.98 Intersect N. & S. line 3 Mts. N. of port -

Sand level & wet first rate

West Corrected between Secs. 17 & 20

39.99 set of sec. port at aver. dist. made mound of
sod, pit East 4 Mts.

79.98 to sec. cor.

West on Random between Secs. 18 & 19

79.00 Intersect W. Boundary 12 Mts. S. of port -

Sand mostly level 1.st rate

East Corrected between Secs. 18 & 19

39.00 set of sec. port made mound of sod, pit
East 4 Mts.

79.00 to sec. cor.

North between Secs. 17 & 18

8.00 enter Marsh

38.10 leave "

40.00 set of sec. port made mound of sod, pit
East 4 Mts.80.00 set port cor. of sec. 7, 8, 17 & 18 made mound
of sod, pit East 4 Mts.Sand South half mile Marsh, North half
mile rolling 1.st rate

East on Random between Secs. 8 & 17

80.00 Intersect N. & S. line 4 Mts. N. of port -

Sand gently rolling wet in places 1.st rate

West Corrected between Secs. 8 & 17

40.00 set of sec. port at aver. dist. made mound
of sod, pit East 4 Mts.

T. 26 N., R. 8 W. 2. Mer. Ind.^a

Chs. Chs.

80.00 to sec. cor.

West on Random between Sec. 7 & 18
 78.95 Intersect W. Boundary 25 Ws. S. of port—
 Land first half mile low wet Prairie,
 last half mile dry rolling Prairie 1st rate.

East Corrected between Sec. 7 & 18
 38.95 set g. sec. port at aver. dnt. made mound
 of sod, pit East 4 Ws.
 78.95 to sec. cor. August 15, 1834

North between Sec. 7 & 8
 40.00 set g. sec. port made mound of sod, pit East
 4 Ws. put stone in
 80.00 set port cor. of sec. 5, 6, 7 & 8 made mound
 of sod, pit South 4 Ws. put a stone in
 Land rolling dry Prairie 1st rate

East on Random between Sec. 5 & 8
 8.50 at Brook 2 Ws. wide course N
 76.20 a Do 3 " " " N
 80.05 Intersect N. S. line 5 Ws. N. of port—
 Land same

West Corrected between Sec. 5 & 8
 40.02 1/2 set g. sec. port at aver. dnt. made mound of
 sod, pit East 4 Ws.
 80.05 to sec. cor.

West on Random between Sec. 6 & 7
 78.60 Intersect W. Boundary 33 Ws. S. of port—
 Land gently rolling, wet in places

East Corrected between Sec. 6 & 7
 38.60 set g. sec. port made mound of sod, pit

T. 26 N., R. 8 W. 2^d Mer. Ind.^a

Ch. 1st

East 4 lks.

78.00 to sec. cor.

North between Sec. 5 & 6

40.00 set q. sec. post made mound of sod, pit East 4 lks.

74.75 Intersect N. Boundary 19 lks. W. of post -
set post at intersection cor. of sec. 5 & 6 made mound.

Land rolling dry 1st rate.

August 16, 1834

General Description.

This Township is entirely Prairie with the exception of a small grove 25 Acres of scattering timber from which and to which bears some small Indian trails, one of which I have heretofore noticed in the field book, and one or two other small ones I was unable to discover when running the lines in consequence of the great height of the grass. One leads to this grove from the direction to the No-nec Village high up on the Pickaminc River. The vegetation is nothing more remarkable than is common for Prairie. The land is generally rolling, high & dry with the exception of wet which you will see noticed in the Notes, and drafted in the Diagram.

No other remarks to make worthy of note, as it respects this Township.

T. 26 N., R. 8 W. 2^d. Mer. Ind.^a

I hereby certify that in pursuance of a contract with M. J. Williams, Surveyor General of the United States for the States of Ohio and Indiana and the Territory of Michigan, bearing date the 26th day of May 1834, and in strict conformity of the laws of the United States and the Instructions of said Surveyor General, I have surveyed and subdivided into sections, Township N. 26 North in Range N. 8 West, in the State of Indiana And I further certify, that the foregoing are the true and original Field Notes of the said survey and subdivision, executed as aforesaid.

Certified the 16th day of August 1834

Ferris Kent

Deputy Surveyor.

Thomas Lewis }
Elijah Barber } Chairmen

Nelson Demoss }
Worsley H. Taylor } Markers and
E. F. Lucas, } mound makers
Flag-bearer

I certify that the foregoing transcript of Field Notes of the survey of Township N. 26 North, in Range N. 8 West of the 2^d. Principal Meridian, in the State of Indiana, has been compared with the original in file in this office, and found to be correct.

Surveyor General's Office,
Cincinnati, Aug. 30. 1844

William Johnston
Sur. Genl.